





















R&D Software Department  
4800 Curtin Drive, McFarland, WI USA 53558  
www.amtelco.com





## New Features in Amtelco Secure Messages Admin Web 7.0

All rights reserved © August 2025

FEATURE	DESCRIPTION						
<p>Admin API Access <i>7.0.9281.1</i></p>	<p>The API Access section is displayed in the Admin Settings when editing an administrator on the Admin Settings page. The API Access section is used to generate an AppID and Secret to enable an administrator to access an application programming interface (API).</p>  <p>The screenshot shows the 'Admin Settings' window. The 'API Access' section is highlighted with a red border. It contains a table with the following data:</p> <table border="1"><thead><tr><th>Description</th><th>AppID</th><th>Created</th></tr></thead><tbody><tr><td>API</td><td>d3478775-db82-4486-9612-e36b469d78c3</td><td>08/20/2025 01:15 pm</td></tr></tbody></table> <p>Below the table is an 'Add API Access' button. At the bottom of the window are 'Reset Password', 'Save', and 'Close' buttons.</p>	Description	AppID	Created	API	d3478775-db82-4486-9612-e36b469d78c3	08/20/2025 01:15 pm
Description	AppID	Created					
API	d3478775-db82-4486-9612-e36b469d78c3	08/20/2025 01:15 pm					
<p>Roles displayed in message history <i>7.0.9281.1</i></p>	<p>Role names are displayed next to the contact names in the message history on the Message Information page. The role name indicates that the contact was assigned to that role when the activity occurred.</p>						

FEATURE	DESCRIPTION																												
																													
<p>Role Icons in Group Licenses Table</p> <p>7.0.9144.3</p>	<p>In the Group Licenses table on the Licenses page, a role icon  is displayed in the Group column for groups that have the optional Role-Based Messaging feature enabled.</p>  <table border="1"> <thead> <tr> <th>Account ID</th> <th>Group</th> <th>Name</th> <th>Allocated</th> <th>Attachment Size</th> <th>Licensed Contacts</th> <th>Unlicensed Contacts</th> </tr> </thead> <tbody> <tr> <td>000.00.0000</td> <td>0 </td> <td>General Hospital</td> <td></td> <td>Not Available</td> <td>24</td> <td>0</td> </tr> <tr> <td>111.11.1111</td> <td>1 </td> <td>Mercy Medical Center</td> <td>200</td> <td>10 MB</td> <td>131</td> <td>0</td> </tr> <tr> <td>222.22.2222</td> <td>2 </td> <td>MMC Family Dentistry</td> <td>85</td> <td>20 MB</td> <td>80</td> <td>0</td> </tr> </tbody> </table>	Account ID	Group	Name	Allocated	Attachment Size	Licensed Contacts	Unlicensed Contacts	000.00.0000	0 	General Hospital		Not Available	24	0	111.11.1111	1 	Mercy Medical Center	200	10 MB	131	0	222.22.2222	2 	MMC Family Dentistry	85	20 MB	80	0
Account ID	Group	Name	Allocated	Attachment Size	Licensed Contacts	Unlicensed Contacts																							
000.00.0000	0 	General Hospital		Not Available	24	0																							
111.11.1111	1 	Mercy Medical Center	200	10 MB	131	0																							
222.22.2222	2 	MMC Family Dentistry	85	20 MB	80	0																							
<p>Roles Search Parameter in Reports</p> <p>7.0.9144.1</p>	<p>In the Reports page, the Roles parameter is displayed when the Group Message Details, Group Messages, or Group Messages - Formatted report is selected.</p> 																												

FEATURE	DESCRIPTION
	<p>The Roles parameter is used to indicate which roles' data should be included in the report.</p>
<p>Role Icons in Groups Table 7.0.8892.6</p>	<p>In the Groups table on the Groups page, a role icon  is displayed in the Group column for groups that have the optional Role-Based Messaging feature enabled.</p> 
<p>Delete Role Prompt Requires Role Name to be Entered 7.0.8892.5</p>	<p>When deleting a role under the Roles tab on the Groups page, the Delete Role prompt requires you to enter the name of the role as a security measure to prevent accidental role deletion.</p>  <p>Enter the full role name in the field, including the correct capitalization, spacing, and punctuation.</p> <p>Click the Delete button to permanently delete the role.</p>
<p>Role Resync Button 7.0.8892.5</p>	<p>The Resync button is displayed under the Roles tab on the Groups page.</p>  <p>The Resync button is used to refresh the list of roles in the Roles pane and the list of contacts in the Assigned Contacts pane.</p>

FEATURE	DESCRIPTION
<p>Server IP Field Renamed “URL”</p> <p>7.0.8892.5</p>	<p>In the IS Connection settings on the Connections page, the “Server IP” field has been renamed “URL.”</p> <p>The URL field is used to specify the Uniform Resource Locator (URL) of the ASM Web Service in order to connect to Intelligent Series (IS) version 5.7 and later. To connect to an older version of Intelligent Series, the URL field is used to specify the Internet Protocol (IP) address of the IS Server.</p>
<p>Hidden Text in Auth Token Field</p> <p>7.0.8892.5</p>	<p>Characters typed in the Auth Token field in the IS Connection settings on the Connections page are now hidden for security purposes.</p> 
<p>Hidden Fields in eMail Registration Settings</p> <p>7.0.8892.4</p>	<p>The User Password and Client Secret fields in the eMail Registration Settings pane on the System Configuration page require a button to be clicked to display each field as an additional layer of security.</p> <p>The User Password settings is displayed when the Account Type is set to “SMTP.”</p> <p>The Client Secret setting is displayed when the Account Type is set to “MS Graph Send.”</p>  <p>Click the Change Password button or Change Secret button to display a text field.</p>  <p>Enter the password or secret, then click the Close icon  to hide the field.</p>
<p>Event Audit Table Renamed “Event Log”</p> <p>7.0.8892.4</p>	<p>The Event Audit table on the Dashboard page has been renamed “Event Log.”</p>
<p>Admin Settings Groups Select All/Select None Hyperlinks</p>	<p>When selecting groups in the Admin Settings window on the Admin Settings page when the Access Type is set to “GroupAdmin” or “Group User,” the <u>Select All</u> and <u>Select None</u> hyperlinks are displayed.</p>

FEATURE	DESCRIPTION
---------	-------------


7.0.8892.3


To select all groups, click the Select All hyperlink.


To deselect all groups, click the Select None hyperlink.

Dashboard Manual Refresh

7.0.8892.3

The Refresh icon  is displayed in the top right corner of the Dashboard Page.









The Refresh icon  is used to manually refresh the Dashboard. The Dashboard no longer automatically refreshes.


FEATURE	DESCRIPTION
<p>Renamed Settings 7.0.8892.3</p>	<p>Several settings throughout the Admin Web have been renamed for clarity and consistency.</p> <p>System Configuration:</p> <ul style="list-style-type: none"> <li>• Changed the Authentication Mode dropdown to display “ASM” instead of “MSM”</li> <li>• Changed email registration account type from “G-Suite” to “Google Workspace”</li> </ul> <p>Contacts:</p> <ul style="list-style-type: none"> <li>• Renamed column in Devices table from “MSM Version” to “Secure Messages Version”</li> <li>• Changed the New Contact popup to display “Amtelco Secure Messages” instead of “MSM”</li> </ul> <p>Devices:</p> <ul style="list-style-type: none"> <li>• Renamed column in Devices table from “MSM Version” to “Secure Messages Version”</li> </ul> <p>System Events:</p> <ul style="list-style-type: none"> <li>• Changed email registration account type from “G-Suite” to “Google Workspace”</li> </ul> <p>Groups:</p> <ul style="list-style-type: none"> <li>• Renamed "Licenses" to "Allocated Licenses"</li> <li>• Updated the E-mail templates with new verbiage and removed MSM references</li> </ul>
<p>Renamed Settings 7.0.8892.1</p>	<p>Several settings throughout the Admin Web have been renamed for clarity and consistency.</p> <p>Licenses:</p> <ul style="list-style-type: none"> <li>• Renamed Purchase History "License" to "License Type"</li> </ul> <p>Groups:</p> <ul style="list-style-type: none"> <li>• Renamed Permission "Access Message" to "Access Messages in Admin Web"</li> <li>• Renamed Permission "Change Default Circle Name" to "Rename Default Circle"</li> <li>• Renamed Permission "Change Personal Circle Name" to "Rename Personal Circle"</li> </ul>

FEATURE	DESCRIPTION
	<ul style="list-style-type: none"> <li>• Renamed Permission "Change Away Message" to "Modify Away Message"</li> <li>• Renamed Permission "Change Display Name" to "Modify Display Name"</li> <li>• Renamed Permission "Change Email" to "Modify Email"</li> <li>• Renamed Permission "Change Interval" to "Modify Notification Interval"</li> <li>• Renamed Permission "Change Notifications (On/Off)" to "Toggle Notifications (On/Off)"</li> <li>• Renamed Permission "Change Phone Number" to "Edit Phone Number"</li> <li>• Renamed Permission "Change Personal Circle" to "Modify Personal Circle"</li> <li>• Renamed Permission "Change Personal Quick Phrases" to "Modify Personal Quick Phrases"</li> <li>• Renamed Permission "Change Picture" to "Modify Picture"</li> <li>• Renamed Permission "Enable Access Gallery" to "Access Media Gallery"</li> <li>• Renamed Phrase "Phrase Editor" to "Quick Phrase"</li> <li>• Renamed Phrase "Response Phrase" to "Phrase"</li> <li>• Renamed Roles "Role Properties" to "Role"</li> <li>• Renamed Roles "Name" to "Role Name"</li> <li>• Renamed Roles "Contacts" to "Assigned Contacts"</li> </ul> <p>System Phrases:</p> <ul style="list-style-type: none"> <li>• Renamed "Phrase Editor" to "System Phrase"</li> <li>• Renamed "Response Phrase" to "Phrase"</li> </ul>
Renamed Settings 7.0.8892.0	<p>Several settings throughout the Admin Web have been renamed for clarity and consistency.</p> <p>Admin Settings:</p> <ul style="list-style-type: none"> <li>• Renamed "Agent Login" to "Admin Name"</li> </ul> <p>Away Messages:</p> <ul style="list-style-type: none"> <li>• Renamed "Away Messages" to "System Away Messages"</li> </ul> <p>Circles:</p> <ul style="list-style-type: none"> <li>• Renamed "Registered Contacts" to "Assign and Unassign"</li> </ul>

FEATURE	DESCRIPTION
	<p>System Configuration:</p> <ul style="list-style-type: none"> <li>• Renamed "Password Settings" to "Admin Password Settings"</li> </ul> <p>Contacts:</p> <ul style="list-style-type: none"> <li>• Renamed "Name" to "Display Name"</li> <li>• Renamed "Require password change..." to "Force Password Change"</li> <li>• Renamed "IS Settings" to "IS Agent Login"</li> <li>• Renamed "Change Password" to "Password and Confirm Password"</li> <li>• Delete contact message displays "This action cannot be undone"</li> </ul> <p>Groups:</p> <ul style="list-style-type: none"> <li>• Renamed "Max Licenses" to "Allocated Licenses"</li> <li>• Renamed "Maximum Contact/Thread" to "Maximum Contacts per Thread"</li> <li>• Renamed "IS Status URL" to "IS Web URL"</li> <li>• Renamed "Genesis Dialing" to "Protected Dialing"</li> <li>• Renamed "Genesis DISA#" to "DISA"</li> <li>• Renamed "Genesis DISA#" to "DISA"</li> <li>• Renamed "Genesis Code" to "Access Code"</li> <li>• Renamed "Registered Contacts" to "Licensed Contacts"</li> <li>• Renamed "Register/UnRegister" buttons to "Add/Remove"</li> <li>• Renamed "Registered To Group" to "Assigned to Group"</li> <li>• Renamed "Name" to "Display Name"</li> <li>• Renamed "Name" to "Display Name"</li> <li>• Renamed "Authenticate" to "Include IS Credentials"</li> <li>• Renamed "Phrases" to "Phrases Access"</li> <li>• Renamed "Roles" to "Roles Access"</li> </ul> <p>System Events:</p> <ul style="list-style-type: none"> <li>• Renamed "Notifications" to "Events" in the navigation menu</li> <li>• Renamed "Event" page to "System Events" page</li> </ul>

FEATURE	DESCRIPTION
<p>Amtelco Secure Messages Rebranding 7.0.8641.3</p>	<p>As part of the Amtelco rebrand, the miSecureMessages Admin Web has been renamed the Amtelco Secure Messages Admin Web and features a new logo and theme color.</p> 
<p>Visible and Not Visible Columns in Registered to Group Menu 7.0.8641.3</p>	<p>The Visible and Active columns are displayed in the Assigned to Group menu under the Contacts tab in Group Properties. A contact's Visible and Active settings can be configured in the Contact Group Properties.</p>  <p>A Check Mark icon  is displayed under the Visible column if the contact is marked visible for this group.</p> <p>A Check Mark icon  is displayed under the Active column if the contact is marked active for this group.</p>
<p>Contact Device Type Displayed in Available Contacts Menu 7.0.8641.3</p>	<p>The Devices column is displayed in the Available Contacts menu under the Contacts tab in Group Properties.</p>


FEATURE	DESCRIPTION
	 <p>The screenshot shows the 'Group Properties - Mercy Medical Center' interface. It has tabs for General, Password/Passcode, Contacts, Device Menu, Permissions, Phrases, Roles, and Email Messages. The 'General' tab is active, showing Account ID: 222.22.2222, Allocated Licenses: 25, and Registered Contacts: 3. There is a search bar for contacts. Below are two tables: 'Available Contacts' and 'Assigned to Group'. The 'Available Contacts' table has columns for Display Name, Devices, and an 'Add' button. The 'Assigned to Group' table has columns for Display Name, Visible, Active, and Devices, with a 'Remove' button. A red box highlights the 'Devices' column in the 'Available Contacts' table, which lists devices like [iPhone], [WebApp], [Android], and [iPhone, iPhone].</p> <p>The Devices column displays the devices that are registered for Amtelco Secure Messages in the user’s name.</p>
<p>Group Properties Settings Moved from Permissions to General Settings</p> <p>7.0.8641.1</p>	<p>The “Enable Device to Device Messaging,” “Use System Away Messages,” and “Use System Phrases” settings have been moved from the Permissions tab to the Features section under the General tab in Group Properties.</p>  <p>The screenshot shows the 'Group Properties - General Settings' interface. The 'Authentication Mode' is set to 'ASM'. The 'Features' section is highlighted with a red box and contains the following options: Enable Copying Email Addresses, Enable Copying Phone Numbers, Enable Copying Web Addresses, Enable Device to Device Messaging, Enable Dial Function, Enable Roles, Use System Away Messages, and Use System Phrases. Other settings include 'Thread' (Maximum Away Message Time: 0, Hours 0 = unlimited), 'IS Web URL' (https://infinity.mmcnet.org/isweb/mobile/default.aspx), 'Contact Web' (https://asm.mmcnet.org/ASMClient/Home/default?id=111.11.1111), and 'Protected Dialing' (Dialing Mode: Option).</p>
<p>Roles can be Added and Removed from Contact Circles</p> <p>7.0.8641.1</p> <p>optional feature</p>	<p>If the optional Role-Based-Messaging feature is enabled, roles can be added and removed from Contact Circles on the Circles page. When a role is added to a Circle, messages sent to the Circle will also be sent to the people who are on-call for the role.</p> <p><b>Note:</b> The Role-Based Messaging feature requires Intelligent Series 5.7 or later.</p>

FEATURE	DESCRIPTION
	

## Adding Roles to a Circle

To add roles to a Circle, click the Add Role button.

The Select Roles window is displayed.



Select the name of the role that you want to add, then click the Continue button.



The selected roles are displayed in the Assigned Roles menu.


## Removing Roles from a Circle


To remove roles from a Circle, select the name of the role that you want to remove in the Assigned Roles menu.

Click the Remove Role button.

The selected roles are removed from the Assigned Roles menu.

FEATURE	DESCRIPTION																				
	<p>When you are finished editing the Circle, click the Save button to save your changes.</p>																				
<p>Roles Settings in Group Properties 7.0.8641.0 <i>optional feature</i></p>	<p>The settings under the Roles tab in Group Properties are used to create, edit, and delete roles that are used for the optional Role-Based Messaging feature for the group.</p> <p><b>Note:</b> The Role-Based Messaging feature requires Intelligent Series 5.7 or later.</p> <div data-bbox="548 596 1448 1045" style="border: 1px solid black; padding: 5px;"> <p>Group Properties - Mercy Medical Center</p> <p>General Password/Passcode Contacts Device Menu Permissions Phrases <b>Roles</b> Email Messages <span style="float: right;">Exit</span></p> <p>+ New Edit Delete</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Roles</th> <th style="width: 50%;">Assigned Contacts</th> </tr> </thead> <tbody> <tr> <td>Attending Physician</td> <td>Andrea Ward</td> </tr> <tr> <td><b>Cardiac Dr. On Call</b></td> <td>Erica Sorenson</td> </tr> <tr> <td>Cardiac Nurse On Call</td> <td></td> </tr> <tr> <td>Emergency Dr.</td> <td></td> </tr> <tr> <td>Emergency Nurse</td> <td></td> </tr> <tr> <td>Hospitalist</td> <td></td> </tr> <tr> <td>Lab Technician</td> <td></td> </tr> <tr> <td>Obstetrics Dr. On Call</td> <td></td> </tr> <tr> <td>Obstetrics Nurse On Call</td> <td></td> </tr> </tbody> </table> </div> <p><b>Adding and Editing Roles</b></p> <p>To add a role, click the New icon. </p> <p>To edit a role, click the role that you want to edit and then click the Edit icon. </p> <p>The Role window is displayed.</p> <div data-bbox="548 1318 1448 1667" style="border: 1px solid black; padding: 5px;"> <p><b>Role</b> <span style="float: right;">x</span></p> <p><b>Role Name</b></p> <p><input type="text" value="Cardiac Dr. On Call"/></p> <p style="text-align: right;"> <input type="button" value="Save Changes"/> <input type="button" value="Cancel"/> </p> </div> <p><b>Role Name</b></p> <p>Type the name of the role that you want to add or edit, then click the Save Changes button.</p> <p>The new or edited role is displayed in the list.</p>	Roles	Assigned Contacts	Attending Physician	Andrea Ward	<b>Cardiac Dr. On Call</b>	Erica Sorenson	Cardiac Nurse On Call		Emergency Dr.		Emergency Nurse		Hospitalist		Lab Technician		Obstetrics Dr. On Call		Obstetrics Nurse On Call	
Roles	Assigned Contacts																				
Attending Physician	Andrea Ward																				
<b>Cardiac Dr. On Call</b>	Erica Sorenson																				
Cardiac Nurse On Call																					
Emergency Dr.																					
Emergency Nurse																					
Hospitalist																					
Lab Technician																					
Obstetrics Dr. On Call																					
Obstetrics Nurse On Call																					

FEATURE	DESCRIPTION
	<p><b>Deleting a Role</b></p> <p>To remove a role, click the role that you want to remove and then click the Delete icon. </p> <p>A dialog box is displayed to confirm the delete request.</p> <div data-bbox="545 466 1443 823" style="border: 1px solid black; padding: 10px;"> <p><b>Delete Role</b> <span style="float: right;">✕</span></p> <hr/> <p>Confirmation is required to delete role</p> <p>Cardiac Doctor</p> <hr/> <p style="text-align: right;"> <input type="button" value="Cancel"/> <input type="button" value="Delete"/> </p> </div> <p>If you are sure you want to delete the role, click the Delete button.</p> <p><b>Assigned Contacts</b></p> <p>The Assigned Contacts pane displays the names of the contacts that are assigned to the role selected in the Roles list under the Roles Toolbar.</p> <p>In order for contacts to be assigned to a role, the role must be assigned to an on-call shift in one of the Intelligent Series (IS) applications, and contacts must be assigned to the shift.</p>
<p>Notification Interval Limit Setting</p> <p>7.0.8641.0</p>	<p>The “Notification Interval Limit” setting is displayed under the General tab in Group Properties.</p> <div data-bbox="545 1316 1443 1587" style="border: 1px solid black; padding: 10px;"> <p>Group Properties - Mercy Medical Center</p> <p>General Password/Passcode Contacts Device Menu Permissions Phrases Roles Email Messages <span style="float: right;">Exit</span></p> <hr/> <p>Group: 3 <span style="float: right;">Notification Attempts: 8</span></p> <p>Name: Mercy Medical Center <span style="float: right;"><b>Notification Interval Limit:</b> 30 Minutes</span></p> <p>Allocated Licenses: 50 <span style="float: right;">Notification Interval: 20 Minutes</span></p> <p>Account ID: 19.3.4444</p> </div> <p><b>Notification Interval Limit</b></p> <p>The Notification Interval Limit setting specifies the maximum number of hours, minutes, or seconds to which contacts in this group can set their Notification Interval in the Contact Settings.</p>

FEATURE	DESCRIPTION
<p>New Settings in Group General Settings</p> <p>7.0.8641.0</p>	<p>New settings have been added to the Features section under the General tab in Group Properties.</p>  <p><input checked="" type="checkbox"/> <b>Enable Dial Function</b></p> <p>The “Enable Dial Function” setting allows contacts in this group to use the phone dial function on the Phone Dialer page in the Amtelco Secure Messages app. If this setting is not selected, the Phone Dialer page will be hidden for contacts in this group.</p> <p><input checked="" type="checkbox"/> <b>Enable Roles</b></p> <p>The “Enable Roles” setting enables the optional Role-Based Messaging feature for this group. The available roles for this group can be configured under the Roles tab in Group Properties.</p> <p><input checked="" type="checkbox"/> <b>Enable Copying Web Links</b></p> <p>The “Enable Copying Web Links” setting allows contacts in this group to copy web addresses in the Amtelco Secure Messages app.</p> <p><input checked="" type="checkbox"/> <b>Enable Copying Phone Links</b></p> <p>The “Enable Copying Phone Links” setting allows contacts in this group to copy phone numbers in the Amtelco Secure Messages app.</p> <p><input checked="" type="checkbox"/> <b>Enable Copying Email Links</b></p> <p>The “Enable Copying Email Links” setting allows contacts in this group to copy e-mail addresses in the Amtelco Secure Messages app.</p>

### Requirements:

- Amtelco Secure Messages Server 7.0 or later

### Role-Based Messaging Requirements:

- Amtelco Secure Messages Role-Based Messaging licenses
- Intelligent Series Supervisor 5.7.8788.3 or later